

HeidelbergCement India Limited

CIN: L26942HR1958FLC042301

Village and P. O. Narsingarh

District Damoh,

Madhya Pradesh 470675

Phone +91-7601-241301, 02 & 05

Fax +91-7601-241235

Website: www.mycemco.com

HCIL(NGH)-ENV/2026/261

To,
The Member Secretary
M.P. Pollution Control Board
Paryavaran Parisar
E-5, Arera Colony, Bhopal – 462016

Date; 14.05.2026
Th. E-Mail/XGN Upload

Sub.: Submission of Bio Medical Waste Return (Form – 4) for the period of Jan to Dec 2025 by M/s Diamond Cements- Grinding unit, Imlai District-Damoh M.P.

Ref; BMW Authorization No. BMW-309895 dated 30.11.2017, valid upto 31/12/2032.

Dear Sir,

Please refer to above subject matter we are submitting herewith Form-4 (Annual report) for the year 2025 by our First Aid Center, M/s Diamond Cements (Prop: HCIL) - Grinding unit, Imlai, District: Damoh, under Biomedical Waste Management Rules, 2016. The same has been uploaded on MPCB Portal.

This is submitted for your kind perusal please.

Thanking you with regards,
For M/s Diamond Cements (Prop: Heidelberg Cement India Ltd.)



Dr. Ashok Tiwari
Head Environment (Unit-Damoh)

Copy To:

1. The Zonal Officer (Central), Central Pollution Control Board, Parivesh Bhawan, Paryavaran Parisar, E-5 , Arera Colony, Bhopal, Madhya Pradesh 462016.
2. The Regional Officer, MP Pollution Control Board, Deen Dayal Nagar, Housing Board Colony, Sagar (MP)
3. Office Copy/ HCIL Portal

Encl: As above

Annual Returns form for Health Care Facilities / Common Bio-medical Waste Treatment and Disposal Facility (CBWTF)

PCB ID : 16143

Health Care Facility / CBWTF Name : Diamond Cements (Grinding Unit Imlai)

1	Year	2025 ▼
2	Type of Health Care Facility	Non - Bedded ▼
3	Number of Beds	0
4	License Number and Date of Expiry of License	BMW-309895 upto 31/12/20
5	Do you have Captive Treatment Facility ?	<input type="radio"/> Yes <input checked="" type="radio"/> No

Quantity of Waste Generated or Disposed in Kg per annum (on monthly average basis)

6	Yellow Category	2.950
7	Red Category	14.530
8	White Category	0.0
9	Blue Category	4.580
10	General Solid Waste	2.500

Details of the Storage, Treatment, Transportation, Processing and Disposal Facility

11	Details of the on-site storage facility	A few amounts of BMW generated throughout the year which is disposed
12	Treatment Facility	AUC,CHM,DIS,DNC
13	Quantity of Recyclable Waste sold to Authorized Recyclers after Treatment (in kg / Year)	0
14	Number of Vehicles used for Collection and Transportation of Biomedical Waste	1
15	Details of Incineration Ash and ETP Sludge generated and disposed	0


	during the Treatment of waste (in Kg / Year)	
16	Name of the Common Bio-Medical Waste Treatment Facility Operator through which waste are disposed of	Davis Surgico, SAGAR <input type="text"/>
17	Do you have bio-medical waste management committee ? If yes, minutes of the meetings held during the reporting period	<input type="radio"/> Yes <input checked="" type="radio"/> No <input type="text"/>

Details of Trainings conducted on Bio Medical Waste Management

18	Number of Trainings conducted on BMW Management	2 <input type="text"/>
19	Number of Personnel Trained	2 <input type="text"/>
20	Number of Personnel Trained at the time of Induction	<input type="text"/>
21	Number of Personnel not undergone any Training so far	0 <input type="text"/>
22	Whether standard manual for Training is available ?	<input checked="" type="radio"/> Yes <input type="radio"/> No
23	Any other information	A few amounts of BMW generated throughout the year which is disposed through MPPCB <input type="text"/>

Details of the accident occurred during the year

24	Number of Accident occurred	0 <input type="text"/>
25	Number of the persons affected	0 <input type="text"/>
26	Remedial Action taken (details if any)	NIL <input type="text"/>
27	Any Fatality Occurred , details	0 <input type="text"/>
28	Are you meeting the standards of air Pollution from the incinerator ? How many times in last year could not met the standards?	<input checked="" type="radio"/> Yes <input type="radio"/> No <input type="text" value="NA"/>
29	Details of Continuous Online Emission Monitoring systems installed	NA <input type="text"/>

30	Liquid waste generated and treatment methods in place . How many times you have not met the standards in a year	<input type="text" value="NA"/>
31	Is the disinfection method or sterilization meeting the log 4 standards ? How many times you have not met the standards in a year ?	<input checked="" type="radio"/> Yes <input type="radio"/> No <input type="text" value="Yes , As per the CB"/>
32	Any other relevant information	A few amounts of BMW generated throughout the year which is disposed through MPPCB 
<input type="button" value="Update"/>		