

HeidelbergCement India Limited

CIN: L26942HR1958FLC042301

Village and P. O. Narsingarh

District Damoh,

Madhya Pradesh 470675

Phone +91-7601-241301, 02 & 05

Fax +91-7601-241235

Website: www.mycemco.com

HCIL(NGH)-ENV/2026/259

To,
The Member Secretary
M.P. Pollution Control Board
Paryavaran Parisar
E-5, Arera Colony, Bhopal – 462016

Date; 14.05.2026

Th. E-Mail/XGN Upload

Subject : Submission of Bio Medical Waste Return (Form – 4) for the period from Jan to Dec 2025 by M/s Diamond Cements Hospital (Prop.: HeidelbergCement India Ltd.) Narsingarh District- Damoh M.P.

Ref : BMW Authorization No. AWB-122432 valid up to 30/06/2027

Dear Sir,

Please refer to above subject matter we are submitting herewith Form-4 (Annual report) for the year 2025 by M/s Diamond Cements Hospital Prop.: HeidelbergCement India Ltd. Narsingarh District- Damoh M.P. under Biomedical Waste Management Rules, 2016.

The same report has been uploaded on MPCB Portal.

This is submitted for your kind perusal please.

Thanking you with regards,

For M/s Diamond Cements (Prop: Heidelberg Cement India Ltd.)



Dr. Ashok Tiwari
Head Environment (Unit-Damoh)

Copy To:


1. The Zonal Officer (Central), Central Pollution Control Board, Parivesh Bhawan, Paryavaran Parisar, E-5 , Arera Colony, Bhopal, Madhya Pradesh 462016.
2. The Regional Officer, MP Pollution Control Board, Deen Dayal Nagar, Housing Board Colony, Sagar (MP)
3. Office Copy/HCIL Portal

Encl: As above

Annual Returns form for Health Care Facilities / Common Bio-medical Waste Treatment and Disposal Facility (CBWTF)

PCB ID : 16151


Health Care Facility / CBWTF Name : Diamond Cements (Clinkerisation Unit (-3.1MTPA))

1	Year	2025 
2	Type of Health Care Facility	Bedded Hospital Private
3	Number of Beds	4
4	License Number and Date of Expiry of License	AWB-122432 valid u 30/06/20
5	Do you have Captive Treatment Facility ?	<input type="radio"/> Yes <input checked="" type="radio"/> No

Quantity of Waste Generated or Disposed in Kg per annum (on monthly average basis)

6	Yellow Category	7.170
7	Red Category	17.760
8	White Category	0.426
9	Blue Category	7.990
10	General Solid Waste	8.00

Details of the Storage, Treatment, Transportation, Processing and Disposal Facility

11	Details of the on-site storage facility	Colour coded Bins provided for segregation and hand over to MPPCB 
12	Treatment Facility	AUC,ACT,DBN,DIS
13	Quantity of Recyclable Waste sold to Authorized Recyclers after Treatment (in kg / Year)	0
14	Number of Vehicles used for Collection and Transportation of Biomedical Waste	1
15	Details of Incineration Ash and ETP Sludge generated and disposed	0


	during the Treatment of waste (in Kg / Year)	
16	Name of the Common Bio-Medical Waste Treatment Facility Operator through which waste are disposed of	Davis Surgico, SAGAR
17	Do you have bio-medical waste management committee ? If yes, minutes of the meetings held during the reporting period	<input type="radio"/> Yes <input checked="" type="radio"/> No <input type="text"/>

Details of Trainings conducted on Bio Medical Waste Management

18	Number of Trainings conducted on BMW Management	4
19	Number of Personnel Trained	12
20	Number of Personnel Trained at the time of Induction	
21	Number of Personnel not undergone any Training so far	0
22	Whether standard manual for Training is available ?	<input checked="" type="radio"/> Yes <input type="radio"/> No
23	Any other information	A few amounts of BMW generated throughout the year which is disposed through MPPCB

Details of the accident occurred during the year

24	Number of Accident occurred	0
25	Number of the persons affected	0
26	Remedial Action taken (details if any)	NA
27	Any Fatality Occurred , details	NA
28	Are you meeting the standards of air Pollution from the incinerator ? How many times in last year could not met the standards?	<input checked="" type="radio"/> Yes <input type="radio"/> No <input type="text" value="Yes, as standalone ("/>
29	Details of Continuous Online Emission Monitoring systems installed	Yes, CEMS installed at Clinkerization unit, CEMS not applicable to OHC.

30	Liquid waste generated and treatment methods in place . How many times you have not met the standards in a year	<input type="text" value="Yes, NA"/>
31	Is the disinfection method or sterilization meeting the log 4 standards ? How many times you have not met the standards in a year ?	<input checked="" type="radio"/> Yes <input type="radio"/> No <input type="text" value="NA"/>
32	Any other relevant information	A few amounts of BMW generated throughout the year which is disposed through MPPCB 
<input type="button" value="Update"/>		