

**HeidelbergCement India Limited**

CIN: L26942HR1958FLC042301

Village and P. O. Narsingarh

District Damoh,

Madhya Pradesh 470675

Phone +91-7601-241301, 02 & 05

Fax +91-7601-241235

Website: www.mycemco.com

**HCIL(NGH)-ENV/2024/86**

To,  
The Member Secretary  
M.P. Pollution Control Board  
Paryavaran Parisar  
E-5, Arera Colony, Bhopal – 462016

Date; 10.04.2024

**Th. E-Mail/XGN Upload**

**Subject : Submission of Bio Medical Waste Return (Form – 4) for the period from Jan to Dec 2023 by M/s Diamond Cements Hospital (Prop.: HeidelbergCement India Ltd.) Narsingarh District- Damoh M.P.**

**Ref : BMW Authorization No. WB-89227 dated 12.07.2021 valid up to 30/06/2024**

Dear Sir,

Please refer to above subject matter we are submitting herewith Form-4 (Annual report) for the year 2023 by M/s Diamond Cements Hospital Prop.: HeidelbergCement India Ltd. Narsingarh District- Damoh M.P. under Biomedical Waste Management Rules, 2016.

The same report has been uploaded on MPCB XGN Portal.

This is submitted for your kind perusal please.

Thanking you with regards,

For M/s Diamond Cements (Prop: Heidelberg Cement India Ltd.)



Ashok Tiwari  
Head Environment (Unit-Damoh)

**Copy To:**

1. The Zonal Officer (Central), Central Pollution Control Board, Parivesh Bhawan, Paryavaran Parisar, E-5 , Arera Colony, Bhopal, Madhya Pradesh 462016.
2. The Regional Officer, MP Pollution Control Board, Deen Dayal Nagar, Housing Board Colony, Sagar (MP)
3. Office Copy/HCIL Portal

**Encl: As above**

## Annual Returns form for Health Care Facilities / Common Bio-medical Waste Treatment and Disposal Facility (CBWTF)

**PCB ID : 16151**

**Health Care Facility / CBWTF Name : Diamond Cements (Clinkerisation Unit (-3.1MTPA))**

1	Year	2023 <span style="float: right;">▼</span>
2	Type of Health Care Facility	Bedded Hospital Priv <span style="float: right;">▼</span>
3	Number of Beds	4
4	License Number and Date of Expiry of License	WB-89227 <span style="margin-left: 20px;">30/06/20</span>
5	Do you have Captive Treatment Facility ?	<input checked="" type="radio"/> Yes <input type="radio"/> No

**Information of Health Care Facility having Captive Treatment Facility(for previous calendar year)**

Quantity of Bio Medical Waste Generation ( in Kg / Day )				Total Bio Medical Waste Treated & Disposed by HCF ( in Kg / Day )			
Yellow	Red	Blue	White	Incinerator	Autoclave	Deep Burial	Any Other
4.82	5.85	0.18	5.67				16.52




**Quantity of Waste Generated or Disposed in Kg per annum (on monthly average basis)**

6	Yellow Category	4.82
7	Red Category	5.85
8	White Category	5.67
9	Blue Category	0.18
10	General Solid Waste	10

**Details of the Storage, Treatment, Transportation, Processing and Disposal Facility**

11	Details of the on-site storage facility	Colour coded Bins provided for segregation and hand over to MPPCB
----	---	---

12	Treatment Facility	AUC,CHM,DBN,DIS,DNC,NEE,NCS
13	Quantity of Recyclable Waste sold to Authorized Recyclers after Treatment ( in kg / Year )	0
14	Number of Vehicles used for Collection and Transportation of Biomedical Waste	1
15	Details of Incineration Ash and ETP Sludge generated and disposed during the Treatment of waste (in Kg / Year )	0
16	Name of the Common Bio-Medical Waste Treatment Facility Operator through which waste are disposed of	Indo Water Management & Pc ▼
17	Do you have bio-medical waste management committee ? If yes, minutes of the meetings held during the reporting period	<input type="radio"/> Yes <input checked="" type="radio"/> No <div style="border: 1px solid #ccc; padding: 2px; display: inline-block; margin-left: 20px;">NA</div>
<b>Details of Trainings conducted on Bio Medical Waste Management</b>		
18	Number of Trainings conducted on BMW Management	2
19	Number of Personnel Trained	12
20	Number of Personnel Trained at the time of Induction	
21	Number of Personnel not undergone any Training so far	0
22	Whether standard manual for Training is available ?	<input checked="" type="radio"/> Yes <input type="radio"/> No
23	Any other information	A few amounts of BMW generated throughout the year which is disposed through MPPCB
<b>Details of the accident occurred during the year</b>		
24	Number of Accident occurred	0
25	Number of the persons affected	0
26	Remedial Action taken ( details if any )	NA

27	Any Fatality Occurred , details	0 
28	Are you meeting the standards of air Pollution from the incinerator ? How many times in last year could not met the standards?	<input type="radio"/> Yes <input checked="" type="radio"/> No <span style="border: 1px solid black; padding: 2px;">As standalone OHC</span>
29	Details of Continuous Online Emission Monitoring systems installed	As standalone OHC task not applicable. 
30	Liquid waste generated and treatment methods in place . How many times you have not met the standards in a year	0 <input type="text"/>
31	Is the disinfection method or sterilization meeting the log 4 standards ? How many times you have not met the standards in a year ?	<input checked="" type="radio"/> Yes <input type="radio"/> No <span style="border: 1px solid black; padding: 2px;">0</span>
32	Any other relevant information	A few amounts of BMW generated throughout the year which is disposed through MPPCB 
Update		