

HeidelbergCement India Limited

CIN: L26942HR1958FLC042301

Village and P. O. Narsingarh

District Damoh,

Madhya Pradesh 470675

Phone +91-7601-241301, 02 & 05

Fax +91-7601-241235

Website: www.mycemco.com

HCIL(NGH)-ENV/2023/10

To,
The Member Secretary
M.P. Pollution Control Board
Paryavaran Parisar
E-5, Arera Colony, Bhopal – 462016

Date; 15.02.2023

Th. XGN Upload

Sub.: Submission of Bio Medical Waste Return (Form – 4) for the period of Jan to Dec 2022 by our First Aid Center, Diamond Cements- Limestone Mines, Patheria District-Damoh M.P.

Ref; BMW Authorization no. BMW-309894 dated 30.11.2017 valid upto 31/12/2032

Dear Sir,

Please refer to above subject matter we are submitting herewith Form-4 (Annual report) for the year 2022 by First Aid Center, Diamond Cements- Limestone Mines, Patheria District-Damoh M.P. under Biomedical Waste Management Rules, 2016. The same has been uploaded on MPCB XGN Portal.

This is submitted for your kind perusal please.

Thanking you with regards,

For M/s Diamond Cements (Prop: Heidelberg Cement India Ltd.)



Ashok Tiwari
Head Environment (Unit-Damoh)

Encl: as above



Copy To:

1. The Zonal Officer (Central), Central Pollution Control Board, Parivesh Bhawan, Paryavaran Parisar, E-5, Arera Colony, Bhopal, Madhya Pradesh 462016.
2. The Regional Officer, MP Pollution Control Board, Deen Dayal Nagar, Housing Board Colony, Sagar (MP)
3. Office Copy

Annual Returns form for Health Care Facilities / Common Bio-medical Waste Treatment and Disposal Facility (CBWTF)

PCB ID : 17652


Health Care Facility / CBWTF Name : Dimand Cements (Patharia Lime Stone Mine-1247.267 Hac.)

1	Year	2022 
2	Type of Health Care Facility	Non - Bedded 
3	Number of Beds	00
4	License Number and Date of Expiry of License	BMW AUTH NO :BM 31/12/20
5	Do you have Captive Treatment Facility ?	<input type="radio"/> Yes <input checked="" type="radio"/> No

Quantity of Waste Generated or Disposed in Kg per annum (on monthly average basis)

6	Yellow Category	0.161
7	Red Category	0
8	White Category	0
9	Blue Category	0
10	General Solid Waste	1

Details of the Storage, Treatment, Transportation, Processing and Disposal Facility

11	Details of the on-site storage facility	Colour coded Bins provided for segregation and hand over to MPPCB 
12	Treatment Facility	AUC,DBN
13	Quantity of Recyclable Waste sold to Authorized Recyclers after Treatment (in kg / Year)	0
14	Number of Vehicles used for Collection and Transportation of Biomedical Waste	1
15	Details of Incineration Ash and ETP Sludge generated and disposed	0


	during the Treatment of waste (in Kg / Year)	
16	Name of the Common Bio-Medical Waste Treatment Facility Operator through which waste are disposed of	Indo Water Management & Pi ▼
17	Do you have bio-medical waste management committee ? If yes, minutes of the meetings held during the reporting period	<input type="radio"/> Yes <input checked="" type="radio"/> No <input type="text" value="NA"/>

Details of Trainings conducted on Bio Medical Waste Management

18	Number of Trainings conducted on BMW Management	<input type="text" value="2"/>
19	Number of Personnel Trained	<input type="text" value="1"/>
20	Number of Personnel Trained at the time of Induction	<input type="text"/>
21	Number of Personnel not undergone any Training so far	<input type="text" value="0"/>
22	Whether standard manual for Training is available ?	<input checked="" type="radio"/> Yes <input type="radio"/> No
23	Any other information	A few amount of BMW generated throughout the year which is disposed through MPPCB <input type="text"/>

Details of the accident occurred during the year

24	Number of Accident occurred	<input type="text" value="0"/>
25	Number of the persons affected	<input type="text" value="0"/>
26	Remedial Action taken (details if any)	<input type="text" value="Nil"/>
27	Any Fatality Occurred , details	<input type="text" value="0"/>
28	Are you meeting the standards of air Pollution from the incinerator ? How many times in last year could not met the standards?	<input type="radio"/> Yes <input checked="" type="radio"/> No <input type="text" value="As standalone First"/>
29	Details of Continuous Online Emission Monitoring systems installed	<input type="text" value="NA"/>

30	Liquid waste generated and treatment methods in place . How many times you have not met the standards in a year	<input type="text" value="0"/>
31	Is the disinfection method or sterilization meeting the log 4 standards ? How many times you have not met the standards in a year ?	<input checked="" type="radio"/> Yes <input type="radio"/> No <input type="text" value="0"/>
32	Any other relevant information	A few amounts of BMW generated throughout the year which is disposed 
<input type="button" value="Update"/>		