

**HeidelbergCement India Limited**

CIN: L26942HR1958FLC042301

Village and P. O. Narsingarh

District Damoh,

Madhya Pradesh 470675

Phone +91-7601-241301, 02 & 05

Fax +91-7601-241235

Website: www.mycemco.com

HCIL(NGH)-ENV/2026/260

To,  
The Member Secretary  
M.P. Pollution Control Board  
Paryavaran Parisar  
E-5, Arera Colony, Bhopal – 462016

Date; 14.05.2026  
Th. E-Mail/XGN Upload

**Sub.: Submission of Bio Medical Waste Return (Form – 4) for the period of Jan to Dec 2025 by M/s Diamond Cements- Patharia Limestone Mines, District-Damoh M.P.**

**Ref;** BMW Authorization no. BMW-309894 dated 30.11.2017 valid upto 31/12/2032

Dear Sir,

Please refer to above subject matter we are submitting herewith Form-4 (Annual report) for the year 2025 by M/s Diamond Cements- Limestone Mines, Patheria District-Damoh M.P. under Biomedical Waste Management Rules, 2016. The same has been uploaded on MPCB Portal.

This is submitted for your kind perusal please.

Thanking you with regards,

For M/s Diamond Cements (Prop: Heidelberg Cement India Ltd.)



Dr. Ashok Tiwari  
Head Environment (Unit-Damoh)

**Copy To:**



1. The Zonal Officer (Central), Central Pollution Control Board, Parivesh Bhawan, Paryavaran Parisar, E-5 , Arera Colony, Bhopal, Madhya Pradesh 462016.
2. The Regional Officer, MP Pollution Control Board, Deen Dayal Nagar, Housing Board Colony, Sagar (MP)
3. Office Copy/ HCIL Portal

**Encl:** As above

## Annual Returns form for Health Care Facilities / Common Bio-medical Waste Treatment and Disposal Facility (CBWTF)

**PCB ID : 17652**


**Health Care Facility / CBWTF Name : Dimand Cements (Patharia Lime Stone Mine-1247.267 Hac.)**

1	Year	2025 
2	Type of Health Care Facility	Non - Bedded 
3	Number of Beds	0
4	License Number and Date of Expiry of License	BMW-309894 upto 31/12/20
5	Do you have Captive Treatment Facility ?	<input type="radio"/> Yes <input checked="" type="radio"/> No

### Quantity of Waste Generated or Disposed in Kg per annum (on monthly average basis)

6	Yellow Category	0.014
7	Red Category	0.0
8	White Category	0.0
9	Blue Category	0.0
10	General Solid Waste	0.850

### Details of the Storage, Treatment, Transportation, Processing and Disposal Facility

11	Details of the on-site storage facility	Colour coded Bins provided for segregation and hand over to MPPCB 
12	Treatment Facility	AUC,ACT,CHM,DNC,NEE
13	Quantity of Recyclable Waste sold to Authorized Recyclers after Treatment ( in kg / Year )	0
14	Number of Vehicles used for Collection and Transportation of Biomedical Waste	1


15	Details of Incineration Ash and ETP Sludge generated and disposed during the Treatment of waste (in Kg / Year )	<input type="text" value="0"/>
16	Name of the Common Bio-Medical Waste Treatment Facility Operator through which waste are disposed of	<input type="text" value="Davis Surgico, SAGAR"/>
17	Do you have bio-medical waste management committee ? If yes, minutes of the meetings held during the reporting period	<input type="radio"/> Yes <input checked="" type="radio"/> No <input type="text"/>

**Details of Trainings conducted on Bio Medical Waste Management**

18	Number of Trainings conducted on BMW Management	<input type="text" value="2"/>
19	Number of Personnel Trained	<input type="text" value="1"/>
20	Number of Personnel Trained at the time of Induction	<input type="text"/>
21	Number of Personnel not undergone any Training so far	<input type="text" value="0"/>
22	Whether standard manual for Training is available ?	<input checked="" type="radio"/> Yes <input type="radio"/> No
23	Any other information	A few amounts of BMW generated throughout the year which is disposed through MPPCB <input type="text"/>

**Details of the accident occurred during the year**

24	Number of Accident occurred	<input type="text" value="0"/>
25	Number of the persons affected	<input type="text" value="0"/>
26	Remedial Action taken ( details if any )	<input type="text" value="NIL"/>
27	Any Fatality Occurred , details	<input type="text" value="0"/>
28	Are you meeting the standards of air Pollution from the incinerator ? How many times in last year could not met the standards?	<input checked="" type="radio"/> Yes <input type="radio"/> No <input type="text"/>
29	Details of Continuous Online Emission Monitoring systems	<input type="text" value="NA"/>

	installed	
30	Liquid waste generated and treatment methods in place . How many times you have not met the standards in a year	NA
31	Is the disinfection method or sterilization meeting the log 4 standards ? How many times you have not met the standards in a year ?	<input checked="" type="radio"/> Yes <input type="radio"/> No <input type="text" value="As Per PCB norms"/>
32	Any other relevant information	A few amounts of BMW generated throughout the year which is disposed through MPPCB 
Update		